This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1 (original) A process for synthesizing a compound of formula I



I

comprising contacting a compound of formula i



i

with a compound of formula xx



xx; wherein

R^0 is C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_r(C_{3-6}$ cycloalkyl), $(CH_2)_r$(aryl) or $(CH_2)_r$(heterocycle), wherein r is 0, 1, 2, 3, or 4;

R^1, R^2, R^3, R^6, R^7, and R^8 are, independently, H or C_1-C_{10} alkyl;

R^4 and R^9 are, independently, H or an acid labile hydroxyl protecting group;

R^{10} is hydrogen or C_1-C_6 alkyl;

R^{25} is hydrogen or an oxidation labile hydroxyl protecting group;

X^1 and X^2 is, independently, a halogen, triflate, tosylate, or mesylate; and

J is


,

,

,

,

,

,

,

, or

,

,

,

,

or



; wherein

R^{11}, R^{12} and R^{13} are each independently H or C_1-C_{10} alkyl; and

R^{14} and R^{15} are, independently, H or an acid labile hydroxyl protecting group.

Claim 2 (original) The process of claim 1, further comprising

subjecting the process to a catalytically effective amount of a cross-coupling metal catalyst.

Claim 3 (original) The process of claim 2, wherein the cross-coupling metal catalyst comprises nickel or palladium.

Claim 4 (original) The process of claim 2, wherein the cross-coupling metal catalyst is Pd(0).

Claim 5 (original) The process of claim 2, further comprising contacting the compound of formula i with a metallating agent, wherein the metallating agent is a compound containing boron, zinc, tin, magnesium, or aluminum, or a combination thereof.

Claim 6 (original) The process of claim 5, wherein the metallating agent is a compound containing boron.

Claim 7 (original) The process of claim 5, wherein the metallating agent is MeO-9-BBN.

Claim 8 (original) The process of claim 5, wherein the metallating agent is a compound containing zinc.

Claim 9 (original) The process of claim 5, wherein the metallating agent is $ZnCl_2$.

Claim 10 (original) The process of claim 1, wherein at least one of X^1 and X^2 are iodo.

Claim 11 (original) The process of claim 1, wherein R^0 is ethylenyl.

Claim 12 (original) The process of claim 1, wherein R^1, R^2, R^3, R^6, R^7, and R^8 are, independently, H or C_1-C_3 alkyl.

Claim 13 (original) The process of claim 1, wherein R^1, R^2, R^3, R^6, R^7, and R^8 are CH_3.

Claim 14 (original) The process of claim 1, wherein R^4 and R^9, independently, are *tert*-butyldimethylsilyl, triethylsilyl, methoxymethyl, methylthiomethyl, 2-methoxyethoxymethyl, acetyl, benzyloxymethyl, 2-(trimethylsilyl)ethoxymethyl or allyl.

Claim 15 (original) The process of claim 1, wherein R^4 is *tert*-butyldimethylsilyl.

Claim 16 (original) The process of claim 1, wherein R^9 is methoxymethyl.

Claim 17 (original) The process of claim 1, wherein R^{10} is CH_3.

Claim 18 (original) The process of claim 1, wherein R^{11}, R^{12} and R^{13} are CH_3.

Claim 19 (original) The process of claim 1, wherein R^{14} and R^{15} are, independently, *tert*-butyldimethylsilyl, triethylsilyl, methoxymethyl, methylthiomethyl, 2-methoxyethoxymethyl, acetyl, benzyloxymethyl, 2-(trimethylsilyl)ethoxymethyl or allyl.

Claim 20 (original) The process of claim 1, wherein R^{14} and R^{15} are, independently, *tert*-butyldimethylsilyl or methoxymethyl.

Claim 21(original) The process of claim 1, wherein R^{25} is *para*-methoxybenzyl.

Claim 22 (original) The process of claim 1, wherein J is


,

,

,

,

, or

,

,

,

,

,

, or

.

Claim 23 (original) The process of claim 1, wherein J is



Claim 24 (original) The process of claim 1, wherein J is



Claim 25 (original) The process of claim 1, wherein J is



Claim 26 (original) The process of claim 1, further comprising a step of synthesizing a compound of formula II



II from compound I, which comprises

contacting the compound of formula I with an oxidizing agent to form a deprotected compound, and

contacting the deprotected compound with $Cl_3CCONCO$ in the presence of a hydrolyzing agent.

Claim 27 (original) The process of claim 26, wherein the oxidizing agent is 2,3-dichloro-5,6-dicyano-1,4-benzoquinone.

Claim 28 (original) The process of claim 26, wherein the hydrolyzing agent is Al_2O_3.

Claim 29 (original) A process for synthesizing a compound of formula III



III

comprising contacting a diene of formula xi



xi

with a lactone of formula xxi



xxi ;

wherein R^1, R^2, R^3, R^6, R^7, R^8, R^{11}, and R^{12} are, independently, H or C_1-C_{10} alkyl;

R^4, R^9, R^{14}, and R^{15} are, independently, an acid labile hydroxyl protecting group;

R^{10} is hydrogen or C_1-C_6 alkyl;

R^{25} is hydrogen or an oxidation stable hydroxyl protecting group; and

X^1 and X^2 are, independently, a halogen, triflate, tosylate, or mesylate.

Claim 30 (original) The process of claim 29, further comprising

subjecting the process to the presence of a catalytically effective amount of a cross-coupling metal catalyst.

Claim 31 (original) The process of claim 29, wherein the cross-coupling metal catalyst comprises nickel or palladium.

Claim 32 (original) The process of claim 29, wherein the cross-coupling metal catalyst is Pd(0).

Claim 33 (original) The process of claim 29, further comprising contacting the compound of formula xi with a metallating agent, wherein the metallating agent is a compound containing boron, zinc, tin or magnesium or aluminum.

Claim 34 (original) The process of claim 33, wherein the metallating agent is a compound containing boron.

Claim 35 (original) The process of claim 33, wherein the metallating agent is MeO-9-BBN.

Claim 36 (Previously Presented) The process of claim 33, wherein the metallating agent is a compound containing zinc.

Claim 37 (original) The process of claim 33, wherein the metallating agent is $ZnCl_2$.

Claim 38 (original) The process of claim 29, wherein at least one of X^1 and X^2 are iodine.

Claim 39 (original) The process of claim 29, wherein R^1, R^2, R^3, R^6, R^7, R^8, R^{11}, and R^{12} are methyl.

Claim 40 (original) The process of claim 29, wherein R^4, R^9, R^{14}, and R^{15} are, independently, *tert*-butyldimethylsilyl or methoxymethyl.

Claim 41 (original) The process of claim 29, wherein R^{10} is hydrogen.

Claim 42 (original) The process of claim 29, wherein R^{25} is *para*-methoxy benzyl.

Claim 43 (original) A process for synthesizing a halogenated alkylene of formula i



i

comprising:

contacting an alkenyl of formula ii



ii with a mild acid; and

adding to the process $(X^1)_2$ in the presence of $P(R^{18})_3$; wherein:

R^0 is $C_{1\text{-}6}$ alkyl, $C_{2\text{-}6}$ alkenyl, $C_{2\text{-}6}$ alkynyl, $(CH_2)_r(C_{3\text{-}6}$ cycloalkyl), $(CH_2)_r$(aryl) or $(CH_2)_r$(heterocycle), wherein r is 0, 1, 2, 3, or 4;

R^1, R^2, and R^3 are, independently, H or C_1-C_{10} alkyl;

R^4 is H or an acid labile hydroxyl protecting group;

R^{10a} is a hydroxyl protecting group;

R^{18} is C_6-C_{14} aryl;

R^{25} is hydrogen or an oxidatively labile hydroxyl protecting group; and

X^1 is a halogen, triflate, tosylate, or mesylate.

Claim 44 (original) The process of claim 43 wherein R^0 is ethylene.

Claim 45 (original) The process of claim 43 wherein R^1, R^2 and R^3 are each methyl.

Claim 46 (original) The process of claim 43 wherein R^4 is *para*-methoxybenzyl.

Claim 47 (original) The process of claim 43 wherein R^{18} is phenyl.

Claim 48 (original) The process of claim 43 wherein R^{25} is *tert*-butyldimethylsilyl.

Claim 49 (original) The process of claim 43 wherein X^1 is iodo.

Claim 50 (original) The process of claim 43, wherein R^{10a} is trityl.

Claim 51 (original) A process of synthesizing a compound of formula ii



ii

comprising:

contacting an aldehyde of formula iii



iii with $R^0CH{=}P(R^{18})_3$;

wherein

R^0 is $C_{1\text{-}6}$ alkyl, $C_{2\text{-}6}$ alkenyl, $C_{2\text{-}6}$ alkynyl, $(CH_2)_r(C_{3\text{-}6}$ cycloalkyl), $(CH_2)_r$(aryl) or $(CH_2)_r$(heterocycle), wherein r is 0, 1, 2, 3, or 4;

R^1, R^2, and R^3 are, independently, H or C_1-C_{10} alkyl;

R^4 is H or an acid labile hydroxyl protecting group;

R^{10a} is a hydroxyl protecting group;

R^{18} is R^{18} is C_6-C_{14} aryl; and

R^{25} is hydrogen or an oxidatively labile hydroxyl protecting group.

Claim 52 (original) The process of claim 51 wherein R^0 is ethylene.

Claim 53 (original) The process of claim 51 wherein R^1, R^2 and R^3 are each methyl.

Claim 54 (original) The process of claim 51 wherein R^4 is *para*-methoxybenzyl.

Claim 55 (original) The process of claim 51 wherein R^{18} is phenyl.

Claim 56 (original) The process of claim 51 wherein R^{25} is *tert*-butyldimethylsilyl.

Claim 57 (original) The process of claim 51, wherein R^{10a} is trityl.

Claim 58 (original) The process of claim 52, wherein the compound of formula iii is contacted with allyldiphenylphosphine instead of $R^0CH{=}P(R^{18})_3$.

Claim 59 (original) A process of synthesizing a compound of formula iv



iv , comprising

contacting a compound of formula vi



vi with 

to form a compound of formula v



v , and

reacting a compound of formula v with 

; wherein

R^1, R^2, and R^3 are, independently, H or C_1-C_{10} alkyl;

R^4 is H or an acid labile hydroxyl protecting group;

R^{10a} is a hydroxyl protecting group; and

R^{25} is hydrogen or an oxidatively labile hydroxyl protecting group.

Claim 60 (original) The process of claim 59 wherein R^1, R^2 and R^3 are each methyl.

Claim 61 (original) The process of claim 59 wherein R^4 is *para*-methoxybenzyl.

Claim 62 (original) The process of claim 59 wherein R^{25} is *tert*-butyldimethylsilyl.

Claim 63 (original) The process of claim 59, wherein R^{10a} is trityl.

Claim 64 (original) A process of forming a compound of formula viii


viii , comprising

contacting a compound of formula x


x


with to form a compound of

formula


ix , and

converting the compound of formula ix to a compound of formula vi


vi ; wherein

R^0 is C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_r(C_{3-6}$ cycloalkyl),

$(CH_2)_r$(aryl) or $(CH_2)_r$(heterocycle), wherein r is 0, 1, 2, 3, or 4;

R^2 and R^3 are, independently, H or C_1-C_{10} alkyl;

R^4 is H or an acid labile hydroxyl protecting group;

R^{10a} is a hydroxyl protecting group; and

Y^1 and Y^2 are, independently, O or S.

Claim 65 (original) The process of claim 64 wherein R^0 is benzyl.

Claim 66 (original) The process of claim 64 wherein R^2 and R^3 are each methyl.

Claim 67 (original) The process of claim 64 wherein R^4 is *para*-methoxybenzyl.

Claim 68 (original) The process of claim 64 wherein R^{10a} is trityl.

Claim 69 (original) A process for synthesizing a halogenated alkylene of formula i



i

comprising,

contacting an alcohol of formula iia



iia with $(X^1)_2$ in the presence of $P(R^{18})_3$;

yielding the compound of formula iia by contacting an alkylene of formula ii



ii with a mild acid;

forming the compound of formula ii by contacting an aldehyde of formula iii



iii with $R^0CH_2—P(R^{18})_3X^1$;

producing the compound of formula iii by subjecting a compound of formula iv



iv to ozonolysis.;

resulting in the compound of formula iv by contacting a compound of formula v



v with 
;

synthesizing the compound of formula v by contacting a compound of formula vi



vi with 
;

producing the compound of formula vi by contacting a compound of formula vii



vii with an oxidizing agent;

forming the compound of formula vii by contacting a compound of formula viii



viii with a reducing agent;

synthesizing the compounds of formula viii and by protecting a hydroxyl moiety of a compound of formula ix



ix ; and

yielding the compounds of formula ix and ix′ by contacting a compound of formula x



x with 

; wherein

R^0 is C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_r(C_{3-6}$ cycloalkyl), $(CH_2)_r$(aryl) or $(CH_2)_r$(heterocycle), wherein r is 0, 1, 2, 3, or 4;

R^1, R^2, and R^3 are, independently, H or C_1-C_{10} alkyl;

R^4 is H or an acid labile hydroxyl protecting group;

R^{10a} is a hydroxyl protecting group;

R^{18} is C_6-C_{14} aryl;

R^{25} is hydrogen or an oxidatively labile hydroxyl protecting group;

X^1 is a halogen, triflate, tosylate, or mesylate; and

Y^1 and Y^2 are, independently, S or O.

Claim 70 (original) The process of claim 69 wherein R^0 is benzyl.

Claim 71 (original) The process of claim 69 wherein R^1, R^2 and R^3 are each methyl.

Claim 72 (original) The process of claim 69 wherein R^4 is *para*-methoxybenzyl.

Claim 73 (original) The process of claim 69 wherein R^{18} is phenyl.

Claim 74 (original) The process of claim 69 wherein R^{25} is *tert*-butyldimethylsilyl.

Claim 75 (original) The process of claim 69 wherein X^1 is iodo.

Claim 76 (original) The process of claim 69, wherein R^{10a} is trityl.

Claim 77 (Withdrawn) A compound of formula viii



viii ;

wherein

R^0 is C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_r(C_{3-6}$ cycloalkyl), $(CH_2)_r$(aryl) or $(CH_2)_r$(heterocycle), wherein r is 0, 1, 2, 3, or 4;

R^2 and R^3 are, independently, H or C_1-C_{10} alkyl;

R^4 is H or an acid labile hydroxyl protecting group;

R^{10a} is a hydroxyl protecting group; and

Y^1 and Y^2 are, independently, S or O.

Claim 78 (Withdrawn) The compound of claim 77 wherein R^0 is benzyl.

Claim 79 (Withdrawn) The compound of claim 77 wherein R^2 and R^3 are each methyl.

Claim 80 (Withdrawn) The compound of claim 77 wherein R^4 is *para*-methoxybenzyl.

Claim 81 (Withdrawn) The compound of claim 77 wherein R^{10a} is trityl.

Claim 82 (Withdrawn) The compound of claim 77 wherein at least one of Y^1 and Y^2 is S.

Claim 83 (Withdrawn) The compound of claim 77 wherein at least one of Y^1 and Y^2 is O.